



# The use of HSAF products in Weather Watching System

Massimiliano Morucci, Lt.Col. ItAF

Centro Nazionale di Meteorologia e Climatologia Aeronautica

ECMWF/H-SAF and HEPEX Workshops on coupled hydrology Reading (UK), 2014 November 3-7









- Sardinia flooding
- Liguria flooding
- H-SAF products in Weather Watching
  - System

































-60

-56 -52 -48 -44 -40 -36

-32

-28 -24 -20 -16



ECMWF 17 Novembre 2013 00UTC Forecast T+0 VT: Domenica 17 Novembre 2013 00UTC EUROATLANTICO - Geopotenziale 500 hPa + Temperatura 500 hPa









ECMWF 18 Novembre 2013 00UTC Forecast T+6 VT: Lunedi 18 Novembre 2013 06UTC EUROATLANTICO- Altezza della tropopausa dinamica (dam geop) Vento a 300 hPa + Geopotenziale a 500 hPa



C HSAF Support to Operational Hydrology and Water

Management

## Sardinia Flooding November 18<sup>th</sup>, 2013





ECMWF 17 Novembre 2013 00UTC Forecast T+36 VT: Lunedi 18 Novembre 2013 12UTC ITALIA - Precipitazioni cumulate nelle 12 ore precedenti (mm)



ECMWF 17 Novembre 2013 00UTC Forecast T+48 VT: Martedi 19 Novembre 2013 00UTC ITALIA - Precipitazioni cumulate nelle 12 ore precedenti (mm)





C HSAF Support to Operational Hydrology and Water

Management

## Sardinia Flooding November 18<sup>th</sup>, 2013



S.



COSMOME 17 Novembre 2013 00UTC Forecast T+36 VT: Lunedi 18 Novembre 2013 12UTC ITALIA - Precipitazioni cumulate nelle 12 ore precedenti (mm)





COSMOME 17 Novembre 2013 00UTC Forecast T+48 VT: Martedi 19 Novembre 2013 00UTC ITALIA - Precipitazioni cumulate nelle 12 ore precedenti (mm)













EUMETSAT H-SAF PR-OBS-3 Instantaneous Rain Rate retrieved from IR-MW blending data ģ 60-ಮ *4*5∙ ക് ģ Зд• R å సి 5.0 (mm/h) 10 Blending of: SEVIRI IR + SSM/I-SSMIS MW + AMSU MW. Instantaneous Rain Rate (mm/h): 20131118 1342 CMD 2013 Nov 18 13:51:02 --- Production\_SATELLITE\_AREA\_C.N.M.C.A----Algorithm\_J.S.A.C.\_C.N.R.---

#### 2014 ECMF/H-SAF & HEPEX Workshops on coupled hydrology

HSAF

Management

Support to Operational Hydrology and Water





#### 2014 ECMF/H-SAF & HEPEX Workshops on coupled hydrology

HSAF

Management

Support to Operational Hydrology and Water





#### 2014 ECMF/H-SAF & HEPEX Workshops on coupled hydrology

HSAF

Management

Support to Operational Hydrology and Water































































9



COSMOME 09 Ottobre 2014 00UTC Forecast T+12 VT: Giovedi 09 Ottobre 2014 12UTC ITALIA - Pressione al suolo (hPa)



COSMOME 10 Ottobre 2014 00UTC Forecast T+12 VT: Venerdi 10 Ottobre 2014 12UTC ITALIA - Pressione al suolo (hPa)









COSMOME 09 Ottobre 2014 00UTC Forecast T+6 VT: Giovedi 09 Ottobre 2014 06UTC ITALIA - Vento previsto a 10 metri (Kts)



















EUMETSAT H-SAF PR-OBS-3 Instantaneous Rain Rate retrieved from IR-MW blending data

















# Validation 9oct 18z (precip prevoius 12H)









#### Validation 10oct 18z Validation 10oct 18z (precip prevoius 12H)







#### Validation 18nov 21z H SAF Support to Operational (precip prevoius 24H) Hydrology and Water





Management



#### H-SAF products in Hydrology and Water Management Weather Watching System

EUMETSAT H-SAF PR-OBS-1 Instantaneous tain tate from conical MW scan



PR-OBS-1 Precipitation rate at ground by MW conical scanners (with indication of phase)

Timeliness: 150 min from observing time

**Cycle**: Up to six passes/day (if three DMSP satellites are available)

Spatial Resolution: Approximately 30 km

#### H-SAF products in Hydrology and Water Management Weather Watching System





Žein Rue mitieved AMSUdata (Vervian 22): řem 20080101 0415 nova (S S2088 1992 жили малак – "teorecismu тура симанцијет (закорола).

#### PR-OBS-2

Precipitation rate at ground by MW cross-track scanners (with indication of phase)

Timeliness: 30 min from observing time

**Cycle**: Up to six passes/day (if one Met-Op-A and two NOAA satellites are available)

#### H-SAF products in Hydrology and Water Management Weather Watching System



The second secon

#### PR-OBS-3

Precipitation rate at ground by GEO/IR supported by LEO/MW

**Coverage**: The rectangular area of the Meteosat field of view that includes the H-SAF area limited to 60° N

Cycle: 15 min

**Resolution**: Average over Europe: 8 km (controlled by the IR pixel size)

**Timeliness**: Within 5 min from the end of (real time) acquisition

pre-operational

#### H-SAF products in H-SAF products in Weather Watching System



#### PR-OBS-4

Precipitation rate at ground by LEO/MW supported by GEO/IR (with flag for phase)

Cycle: the observing cycle is 3 h

Accuracy: To be defined

**Timeliness**: The PR-OBS04 maps are available at 30 min intervals (sampling time) but we have a timeliness at least of 2 h depending on the availability of the input rain products

pre-operational

#### HSAF Support to Operational Hydrology and Water Management Weather Watching System



#### PR-OBS-5 Accumulated precipitation at ground by blended MW and IR

**Coverage**: The rectangular area of the stereographic projection that includes the H-SAF area

**Cycle**: Each 3 hours: MW+IR integrated over the previous 3, 6, 12 and 24

**Resolution**: Average over Europe: 8 km intended as sampling, ~ 30 km effective

**Timeliness**: At fixed times of the day, within 15 min after synoptic hours

pre-operational





# The use of HSAF products in Weather Watching System

# **Any Question?**

Massimiliano Morucci, Lt.Col. ItAF (morucci@meteoam.it)

Centro Nazionale di Meteorologia e Climatologia Aeronautica

ECMWF/H-SAF and HEPEX Workshops on coupled hydrology Reading (UK), 2014 November 3-7